#### **OLFINE PD-003**



# Nissin Chemical Industry Co.,

Ltd.

5-13, Uchikanda 1-chome, Chiyoda-ku,

Tokyo, Japan

Tel: +81-3-3295-3931 Fax: +81-3-3295-3929 Revision date:2016/12/01 Date of enactment:2010/10/21

Version:3.1

# **SAFETY DATA SHEET**

## 1. Chemical product and company identification

Trade name : OLFINE PD-003

Substance name : Surfactant composition

Company/undertaking

identification

: Nissin Chemical Industry Co., Ltd.

Zip code : 101-0047

Street : 5-13, Uchikanda 1-chome, Chiyoda-ku, Tokyo, Japan

Tel : +81-3-3295-3931 Fax : +81-3-3295-3929

Department name : Quality Assurance Group/Environmental & Quality Management

Division

Tel : +81-778-22-9998 Fax : +81-778-22-9998

#### 2. Hazards identification

#### **GHS** classification

Physical hazards : Explosive / Classification not possible

: Flammable gases / Not applicable

: Flammable aerosol / Classification not possible

: Oxidising gases / Not applicable

: Gases under pressure / Not applicable

: Flammable liquids / Classification not possible

: Flammable solids / Not applicable

: Self-reactive substances and mixtures / Classification not possible

: Pyrophoric liquids / Classification not possible

: Pyrophoric solids / Not applicable

: Self-heating substances and mixtures / Classification not possible

: Substances and mixtures which in contact with water emit

flammable gases / Classification not possible

: Oxidising liquids / Classification not possible

: Oxidising solids / Not applicable

: Organic peroxide / Classification not possible

: Corrosive to metals / Classification not possible

Health hazards : Acute toxicity (oral) / Classification not possible

: Acute toxicity (dermal) / Classification not possible

: Acute toxicity (inhalation:gas) / Classification not possible

: Acute toxicity (inhalation:vapour) / Classification not possible

: Acute toxicity (inhalation:dust,mist) / Classification not possible

: skin corrosion/irritation / Category 2

: Serious eye damage/eye irritation / Category 1

: Respiratory sensitisation / Classification not possible

: Skin sensitisation / Category 1

: Germ cell mutagenicity / Classification not possible

: Carcinogenicity / Classification not possible

: Reproductive toxicity / Classification not possible

: Specific target organ toxicity (single exposure) / Classification not possible

: Specific target organ toxicity (repeated exposure) / Classification not possible

: Aspiration hazard / Classification not possible

: Skin corrosion/irritation / Classification not possible

Environmental hazards : Hazardous to the aquatic environment - Acute Hazard / Category

2

: Hazardous to the aquatic environment - Chronic Hazard / Category 2

: Hazardous to the ozone layer / Classification not possible

Hazard pictograms







GHS05

GHS07

GHS09

GHS Signal word

: Danger

Hazard statements

: Causes skin irritation (H315)

May cause an allergic skin reaction (H317)

Causes serious eye damage (H318)

Toxic to aquatic life with long lasting effects (H411)

[Prevention precautionary

statements]

Avoid breathing dust, fume, gas, mist, vapours, spray. (P261)

Wash hands thoroughly after handling. (P264)

Contaminated work clothing should not be allowed out of the

workplace (P272)

Avoid release to the environment. (P273)

Wear protective gloves, protective clothing, eye protection, face

protection. (P280)

[Response Precautionary

Statements]

: IF ON SKIN: Wash with plenty of soap and water. (P302+P352)

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. (P305+P351+P338)

If on skin, if in eyes, if swallowed, and if inhaled, immediately call

a doctor. (P310)

Specific treatment (P321)

If on skin and if skin irritation occurs, seek medical advice and

attention. (P332+P313)

If skin irritation or rash occurs, Get medical advice and attention.

(P333+P313)

Take off contaminated clothing and wash it before reuse.

(P362+P364)

Collect spillage. (P391)

[Storage precautionary

statements]

: Store in a well-ventilated place. Keep cool. (P403+P235)

[Disposal precautionary

statements]

: Dispose of contents/container in accordance with local/regional/national/international regulations. (P501)

3. Composition/information on ingredients

Generic name : Surfactant composition

Name	Concentration	Kanpo number		CAS No
Name		CSCL No	ISHL No	CAS NO
Surfactant A	< 50%	Listed	Existing	Listed
Surfactant B	< 80%	Listed	Existing	Listed
1,2-Propanediol	< 50%	(2)-234	Existing	57-55-6
Water	< 10%			7732-18-5

#### 4. First aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where

possible). Move out of dangerous area. Take off contaminated clothing and shoes immediately. Never give anything by mouth to

an unconscious person.

First-aid measures after

inhalation

: Remove the sufferers to fresh air places immediately. If breathing

has stopped or is labored, give artificial respiration, and get

medical advices.

First-aid measures after skin

contact

: Take off contaminated clothes, shoes and socks. And wash sticking parts off with soap and plenty of water. If the external changes

are observed or the symptoms such as irritation or itchy appears,

get medical advices immediately.

First-aid measures after eye

Rinse immediately inner side of eyelid with plenty of water more

contact than 20 minutes. Remove the contact lenses if possible. Get

medical advices, If eye irritation persists: Get medical

advice/attention.

First-aid measures after

ingestion

Rinse mouth thoroughly with water and get medical attention immediately, Never give anything through mouth to a patient if he is unconscious. Turn a patient's head to the side for preventing

suffocation by vomit.

## 5. Fire fighting measures

Suitable extinguishing media : Dry chemical, Fire foam, Carbon dioxide (CO2), Water mist

Personal protection (Emergency response)

As gasses such as carbon dioxide, carbon monoxide, smoke are generated by high temperature at fire, wear a self-contained

breathing apparatus, etc.

Protection during firefighting : In the event of fire, wear self-contained breathing apparatus. Use

personal protective equipment.

Other information : Standard procedure for chemical fires. Use extinguishing measures

that are appropriate to local circumstances and the surrounding environment. In the event of fire and/or explosion do not breathe fumes. Use water spray to cool unopened containers. Collect contaminated fire extinguishing water separately. This must not be

discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local

regulations.

#### 6. Accidental release measures

#### Personal Precautions, Protective Equipment and Emergency Procedures

General measures : Clear off ignition sources and work from windward

Wear suitable protective goggles, boots, gloves, body suits to avoid contact with droplet, etc and inhalation of mist, gas, etc.

Environmental precautions : Take care that the released Products do not inflow into the water-

courses nor dirty water flows out to the environment.

### Methods and Equipment for Containment and Cleaning up

For containment : Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Keep in suitable, closed  $\,$ 

containers for disposal.

Methods for cleaning up : When the releasing materials are small, cover with dry sand, dirt,

sawdust and/or the like, rake up with shovels or brooms and

recover into the containers being stoppled tightly

When the releasing materials are large, vacuum and recover with a

pump, etc

Clean up the surroundings of the releasing area with water after

recovery and recover the contaminated water as well.

## 7. Handling and storage

#### Handling

Technical measures : Emergency showers and eye wash stations should be readily

accessible.

Precautions for safe

handling

: Comply with practice rules established by the Government

As the Product has fear of precipitating or solidifying under low temperature(not exceeding  $15^{\circ}$ C), the Product is applied after

warming, melting and stirring well in the case.

Prevents handling of incompatible substances

or mixtures

: Wear suitable personal protecting tools, if there are dangers of  $% \left( 1\right) =\left( 1\right) \left( 1\right)$ 

inhalation of vapor and mist or contact to skin or eye(s).

### Storage precautionary statements

Storage conditions : Store with a tight stopper at cool and dark places.

Technical measures : Store the Product at a well ventilated place where is isolated from

thermal sources and strong oxidizers.

Material used in

: Keep oil tins dry because oil tins

packaging/containers

may form rust by wet with water and so on.

Incompatible materials : Strong oxidizers (perchlorates, nitrates, peroxides), Reactive

metals. (sodium, calcium, zinc, etc.), Dehydrating agent

## 8. Exposure controls / Personal protection equipment

Japan administration level :

: No data available: No data available

Exposure limits (ACGIH)

Exposure limits (JSOH)

: No data available

Appropriate engineering

controls

: Install sufficient general ventilators and local exhaust equipments

Express the place clearly where safety shower(s) and hand and

eye washer(s) are equipped.

Respiratory protection : Use an air respirator at an emergency

It is needless under normal conditions at well ventilated place

Hand protection : Wear protective gloves. (Neoprene Nitrile rubber)

Eye protection : Goggles

Eye protection

Skin and body protection : protective clothing

Choose appropriate protective clothes according to the concentration of the dangerous substance and the work

circumstance

Materials for protective

clothing

: Use personal protective equipment against chemicals depending on

the concentration and quantity of the hazardous substance and

specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned

protective equipment with the manufacturer.

Environmental exposure

controls

Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Avoid release to the environment. Refer to special instructions/ Safety data sheets.

## 9. Physical and chemical properties

Physical state : Liquid **Appearance** Liquid

Colour Colorless~Light yellow. clear

Odour characteristic odor Melting point : No data available Boiling point : No data available

Flash point None (Cleveland open-cup test)

Relative evaporation rate

(butylacetate=1)

: No data available

Flammability (solid, gas) : No data available Explosive limits (g/m<sup>3</sup>) : No data available : No data available Explosive limits (vol %) : No data available Vapour pressure No data available

Relative vapour density at

20 °C

Specific gravity density : 0.99 - 1.03

Log Pow : No data available : No data available Auto-ignition temperature Decomposition temperature : No data available Viscosity No data available

## 10. Stability and reactivity

Reactivity : No data available

Chemical stability : Prevent high temperature atmosphere, by which the degradation

of the product is accelerated.

Possibility of hazardous

reactions

: In case of mix and contact with strong oxidizer, it may cause

hazards such as fire or explosion.

Conditions to avoid : Heat, Fire

Incompatible materials Reactive metals. (sodium, calcium, zinc, etc.), Strong oxidizer

(perchlorates, nitrates, peroxides etc.), Peroxides, Dehydrating

agents, Materials reacted with hydroxyl compounds

Hazardous decomposition products

: The hazardous gasses such as carbon mono- and di-oxide and aldehyde group are generated at the Product's combustion, Heating above 65 C in the presence of strong base can produce flammable hydrocarbon residue.

## 11. Toxicological information

Acute toxicity (oral) -

: No data available

Description

Acute toxicity (dermal) -

: No data available

Description

Acute toxicity (gas) -

: No data available

Description

Acute toxicity (vapour) -

: No data available

Description

Acute toxicity (dust) -

: No data available

Description

Acute toxicity (mist) -

: No data available

Description

LC50 inhalation rat (mg/l)

: No data available

Skin corrosion/irritation -

Description

: There are no available data about this product. There contain hazardous to skin materials belonging to the following

Category 2: Suafactant B (<80%). Concentration limits of Category 2 is  $\ge$ 10%. So, this product is correspond to Skin

corrosion/irritation Category 2 of GHS.

Serious eye damage/eye irritation - Description

There are no available data about this product. There contain eye irritating materials belonging to the following Category. Category
 1: Surfactant A (<50 %) Surfactant B (<80%) Concentration limits of Category 1 is ≥3%. So,this product is correspond to</li>

Serius eye damage /eye irritation Category 1 of GHS.

Skin sensitization -

Description

: There are no available data about this product. But, there contain

Skin Sensitizer materials belonging to the following

Category. Category1: Surfactant A (<50%) Concentration limits of

Category 1 is ≥1.0% So, this product is correspond to Skin

Sensitizer Category 1 of GHS.

Respiratory sensitization -

Description

No data available

Germ cell mutagenicity -

Description

: No data available

Description.

Carcinogenicity : No data available

Reproductive toxicity - : No data available

Description

Specific target organ toxicity

(single exposure) -

: No data available

Description

Specific target organ toxicity : No data available

(repeated exposure) -

Description

Aspiration hazard -

Description

: No data available

Other health hazard : No information

## 12. Ecological information

Hazardous to Aquatic

Environment - Acute Hazard

: There are no available data about this product. There contain Hazardous to the aquatic environment (acute) materials belonging to the following Category. Category 2: Surfactant B(<80%).

2 is ≥25%. So, this product is correspond to Hazardous to the

Category 3: Surfactant A(<50 %).Concentration limits of Category

aquatic environment (acute) Category 2 of GHS.

Hazardous to Aquatic

Environment - Chronic

Hazard

: There are no available data about this product. There contain Hazardous to the aquatic environment (chronic) materials

belonging to the following Category. Category 2: Surfactant B( < 80%). Category 3: Surfactant A( <50%). Concentration limits of Category 2 is  $\ge$ 25%. So, this product is correspond to Hazardous to

the aquatic environment (chronic) Category 2 of GHS.

Ecotoxicity : No data available

Fish Toxicity / Other Toxicity : No data available Persistence and degradability : No data available

Chemical oxygen demand

(COD)

No data available

Bioaccumulative potential : No data available Ecology - soil : No data available

Other information : It should not be allowed for the product to be run into drains,

water courses or the soil.

## 13. Disposal considerations

Waste treatment methods : In accordance with local and national regulations. Do not dispose

of waste into sewer. This material and its container must be disposed of as hazardous waste. Do not dispose of together with

household waste.

Ecology - waste materials : Farm out to professional disposal treating traders in compliance

with requirements of the nation and local governments.

Contaminated container and

packaging

: Farm out disposal of the contents and packaging materials to

professional disposal treating traders in compliance with

requirements of the nation and local governments

In case of disposal of empty container, dispose after complete

removal in the container.

## 14. Transport information

International Regulations

Regulatory information by sea : Conform to the provisions of IMO.

UN-No. 3082

Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S.

Class (UN) : 9

Packing group (UN) III9. Danger labels (IMDG)

Regulatory information by air Conform to the provisions of ICAO/IATA.

UN-No. 3082

Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S.

Class (UN) 9 III Packing group (UN) Danger labels (IMDG) 9.



Regulations in Japan

Regulatory information by sea Conform to the provisions of the Ship Safety Law.

UN-No. 3082

Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S.

: 9 Class (UN)

Packing group (UN) IIIDanger labels (IMDG)

: Conform to the provisions of the Civil Aeronautics Law. Regulatory information by air

UN-No. : 3082

Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S.

Class (UN) : 9
Packing group (UN) : III
Danger labels (IMDG) : 9.

¥2

MFAG-No : 171

Other information : At transportation, make sure of no leakage of packings,

load the products without broken bags, falling, injury,

etc., and prevent load

collapses surely.

## 15. Regulatory information

Regulatory reference

Country name	Inventory List	Listed/No t listed	Country name	Inventory List	Listed/Not listed
USA	TSCA	Listed	Korea	KECI	Listed
EU	EINECS	Listed	EU	REACH	No- Registered
Canada	DSL	Listed	People's Republic of China	IECSC	Listed
Australia	AICS	Listed	Philippines	PICCS	Listed
New Zealand	NZIoC	Listed	Taiwan	ECN	Listed

The Nissin Chemical Company is not able to check up the regulatory information in regard to the substances in your country or region, therefore, we request this matter would be filled by your responsibility.

### 16. Other information

Data sources : Ref. 1."Safety Data Sheet" by Raw Material Manufacturers. 2.GHS

Fourth Revised Edition. 3.NITE GHS Results of the Classification

Other information : The Products was developed for general industries' use. When

applying to specific uses, it is hoped to confirm its safety by yourselves prior to the use. The description of this SDS is based upon materials, information and data which can be procured at present. However, we do not warrant any guarantee regarding the contents, physical and chemical properties, hazards and the like