OLFINE EXP.4001



Nissin Chemical Industry Co.,

Ltd.

5-13, Uchikanda 1-chome, Chiyoda-ku,

Tokyo, Japan

Tel: +81-3-3295-3931 Fax: +81-3-3295-3929 Revision date:2020/07/31 Date of enactment:2008/12/16

Version:3.2

SAFETY DATA SHEET

1. Chemical product and company identification

Trade name : OLFINE EXP.4001

Substance name : Surfactant composition

Company/undertaking

identification

: Nissin Chemical Industry Co., Ltd.

Zip code : 101-0047

Street : 5-13, Uchikanda 1-chome, Chiyoda-ku, Tokyo, Japan

Tel : +81-3-3295-3931 Fax : +81-3-3295-3929

Department name : Quality Assurance Group/Environmental & Quality Management

Division

Tel : +81-778-22-9998 Fax : +81-778-22-9998

2. Hazards identification

GHS classification

Physical hazards : Explosive / Classification not possible

: Flammable gases / Not applicable

: Flammable aerosol / Classification not possible

: Oxidising gases / Not applicable

Gases under pressure / Not applicable

: Flammable liquids / Not classified

: Flammable solids / Not applicable

: Self-reactive substances and mixtures / Classification not possible

: Pyrophoric liquids / Classification not possible

: Pyrophoric solids / Not applicable

: Self-heating substances and mixtures / Classification not possible

: Substances and mixtures which in contact with water emit

flammable gases / Classification not possible

: Oxidising liquids / Classification not possible

: Oxidising solids / Not applicable

: Organic peroxide / Classification not possible

: Corrosive to metals / Classification not possible

Health hazards : Acute toxicity (oral) / Classification not possible

: Acute toxicity (dermal) / Classification not possible

: Acute toxicity (inhalation:gas) / Classification not possible

: Acute toxicity (inhalation:vapour) / Classification not possible

: Acute toxicity (inhalation:dust,mist) / Classification not possible

: Skin corrosion/irritation / Classification not possible

: Serious eye damage/eye irritation / Category 1

: Respiratory sensitisation / Classification not possible

: Skin sensitisation / Classification not possible

: Germ cell mutagenicity / Classification not possible

: Carcinogenicity / Classification not possible

: Reproductive toxicity / Classification not possible

: Specific target organ toxicity (single exposure) / Classification not possible

: Specific target organ toxicity (repeated exposure) / Classification not possible

: Aspiration hazard / Classification not possible

Environmental hazards : Hazardous to the aquatic environment - Acute Hazard /

Classification not possible

: Hazardous to the aquatic environment - Chronic Hazard /

Category 3

: Hazardous to the ozone layer / Classification not possible

Hazard pictograms



GHS05

GHS Signal word : Danger

Hazard statements : Causes serious eye damage (H318)

Harmful to aquatic life with long lasting effects (H412)

[Prevention precautionary

statements]

: Avoid release to the environment. (P273)

Wear protective gloves, protective clothing, eye protection, face

protection. (P280)

[Response Precautionary

Statements]

If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing. (P305+P351+P338)

If on skin, if in eyes, if swallowed, and if inhaled, immediately call

a doctor. (P310)

Get medical advice/attention if you feel unwell. (P314)

[Storage precautionary

statements]

: Store in a well-ventilated place. Keep container tightly closed.

(P403+P233)

[Disposal precautionary

statements1

: Dispose of contents/container in accordance with

local/regional/national/international regulations. (P501)

3. Composition/information on ingredients

Generic name : Nonionic surfactants composition

| Name | Concentration | Kanpo number | | CAS No |
|-----------------|---------------|--------------|----------|-----------|
| | | CSCL No | ISHL No | CAS NO |
| Surfactant A | < 80% | Listed | Existing | Listed |
| Surfactant B | < 10% | Listed | Existing | Listed |
| 1,2-Propanediol | < 20% | (2)-234 | Existing | 57-55-6 |
| Water | < 10% | | | 7732-18-5 |

4. First aid measures

First-aid measures general

: If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. Take off contaminated clothing and shoes immediately. Never give anything by mouth to an unconscious person.

First-aid measures after

inhalation

Remove the sufferers to fresh air places immediately. If breathing

has stopped or is labored, give artificial respiration, and get

medical advices.

First-aid measures after skin

contact

Take off contaminated clothes, shoes and socks. And wash sticking parts off with soap and plenty of water. If the external changes are observed or the symptoms such as irritation or itchy appears,

get medical advices immediately.

First-aid measures after eye

contact

Rinse immediately inner side of eyelid with plenty of water more than 20 minutes. Remove the contact lenses if possible. Get

medical advices, If eye irritation persists: Get medical

advice/attention.

First-aid measures after

ingestion

Rinse mouth thoroughly with water and get medical attention immediately, Never give anything through mouth to a patient if he

is unconscious. Turn a patient's head to the side for preventing

suffocation by vomit.

5. Fire fighting measures

Suitable extinguishing media

: Water mist, Alcohol-resistant foam, Dry chemical, Carbon dioxide

(CO2), Dry sand

Personal protection

(Emergency response)

: As gasses such as carbon dioxide, carbon monoxide, smoke are generated by high temperature at fire, wear a self-contained

breathing apparatus, etc.

Protection during firefighting : In the event of fire, wear self-contained breathing apparatus. Use

personal protective equipment.

Other information : Standard procedure for chemical fires. Use extinguishing measures

that are appropriate to local circumstances and the surrounding environment. In the event of fire and/or explosion do not breathe fumes. Use water spray to cool unopened containers. Collect contaminated fire extinguishing water separately. This must not be

discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local

regulations.

6. Accidental release measures

Personal Precautions, Protective Equipment and Emergency Procedures

General measures : Clear off ignition sources and work from windward

Wear suitable protective goggles, boots, gloves, body suits to avoid contact with droplet, etc and inhalation of mist, gas, etc.

Environmental precautions : Take care that the released Products do not inflow into the water-

courses nor dirty water flows out to the environment.

Methods and Equipment for Containment and Cleaning up

For containment : Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Keep in suitable, closed

containers for disposal.

Methods for cleaning up : When the releasing materials are small, cover with dry sand, dirt,

sawdust and/or the like, rake up with shovels or brooms and

recover into the containers being stoppled tightly

When the releasing materials are large, vacuum and recover with a

pump, etc.

Prevention Measures for

Secondary Accidents

Remove immediately all ignition source and prepare fire extinguish

agents. Use safe tools which do not spark.

7. Handling and storage

Handling

Technical measures : Emergency showers and eye wash stations should be readily

accessible

Take precautionary measures aginst electrostatic discharge.

Open flames prohibited.

Precautions for safe

handling

: Comply with practice rules established by the Government.

Prevents handling of

incompatible substances

: Wear suitable personal protecting tools, if there are dangers of

inhalation of vapor and mist or contact to skin or eye(s).

or mixtures

Storage precautionary statements

Storage conditions : Store with a tight stopper at cool and dark places.

Technical measures : Store the Product at a well ventilated place where is isolated from

thermal sources and strong oxidizers.

Material used in : Keep oil tins dry because oil tins

packaging/containers may form rust by wet with water and so on.

Incompatible materials : Strong oxidizers (perchlorates, nitrates, peroxides), Reactive

metals. (sodium, calcium, zinc, etc.), Dehydrating agent

8. Exposure controls / Personal protection equipment

Japan administration level : No data available Exposure limits (JSOH) : No data available Exposure limits (ACGIH) : No data available

Appropriate engineering

controls

: Install sufficient general ventilators and local exhaust equipments

Express the place clearly where safety shower(s) and hand and

eye washer(s) are equipped

Applied tools and equipments should be static charge prevention

style explosion-proof.

Respiratory protection : Use an air respirator at an emergency

It is needless under normal conditions at well ventilated place

Hand protection : Wear protective gloves.(Neoprene Nitrile rubber)

Eye protection : Goggles

Eye protection

Skin and body protection : protective clothing

Choose appropriate protective clothes according to the concentration of the dangerous substance and the work

circumstance

Materials for protective

clothing

: Use personal protective equipment against chemicals depending on

the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned

protective equipment with the manufacturer.

Environmental exposure

controls

: Do not flush into surface water or sanitary sewer system. Prevent $% \left(1\right) =\left(1\right) \left(1\right)$

further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Avoid release to the environment. Refer to special

instructions/ Safety data sheets.

9. Physical and chemical properties

Physical state : Liquid

Appearance : Liquid

Colour : Amber. clear

Odour : characteristic odor Melting point : No data available

Boiling point : 127 °C

Flash point : 136 °C (Cleveland open-cup test)

Relative evaporation rate

(butylacetate=1)

: No data available

Flammability (solid, gas) : No data available Explosive limits (g/m³) : No data available Explosive limits (vol %) : No data available Vapour pressure : No data available Relative vapour density at : No data available

20 °C

Specific gravity density : 0.98 - 1.02 (25℃)
Log Pow : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity : No data available

10. Stability and reactivity

Reactivity : No data available

Chemical stability : Prevent high temperature atmosphere, by which the degradation

of the product is accelerated.

Possibility of hazardous

reactions

: In case of mix and contact with strong oxidizer, it may cause

hazards such as fire or explosion.

Conditions to avoid : Heat,Fire

Incompatible materials : Reactive metals. (sodium, calcium, zinc, etc.), Strong oxidizer

(perchlorates, nitrates, peroxides etc.),Peroxides,Dehydrating

agents, Materials reacted with hydroxyl compounds

Hazardous decomposition

products

: The hazardous gasses such as carbon mono- and di-oxide and

aldehyde group are generated at the Product's combustion, Heating above 65 C in the presence of strong base can produce flammable

hydrocarbon residue.

11. Toxicological information

Acute toxicity (oral) - : No data available

Description

Acute toxicity (dermal) - : No data available

Description

Acute toxicity (gas) - : No data available

Description

Acute toxicity (vapour) -

Description

: No data available

Acute toxicity (dust) -

: No data available

Description

Acute toxicity (mist) -

Description

: No data available

LC50 inhalation rat (mg/l) : No data available Skin corrosion/irritation -No data available

Description

Serious eye damage/eye irritation - Description

: There are no available data about this product. There contain eye irritating materials belonging to the following Category. Category 1: Surfactants A(<80%) Concentration limits of Category 1 is

≥3%. So,this product is correspond to Serius eye damage /eye

irritation Category 1 of GHS.

Skin sensitization -

Description

: No data available

Respiratory sensitization -

Description

: No data available

Germ cell mutagenicity -

Description

: No data available

: No data available Carcinogenicity Reproductive toxicity -: No data available

Description

Specific target organ toxicity

(single exposure) -

: No data available

Description

Specific target organ toxicity : No data available

(repeated exposure) -

Description

Aspiration hazard -

Description

: No data available

Other health hazard : No data available

12. Ecological information

Hazardous to Aquatic

: No data available

Environment - Acute Hazard

Hazardous to Aquatic

Environment - Chronic

Hazard

: There are no available data about this product. There contain Hazardous to the aquatic environment (chronic) materials

belonging to the following Category. Category 3: Surfactant A (<

80%). Concentration limits of Category 3 is ≥25%. So,this product is correspond to Hazardous to the aquatic environment (chronic) Category 3 of GHS.

Ecotoxicity : No data available
Fish Toxicity / Other Toxicity : No data available
Persistence and degradability : No data available
Chemical oxygen demand : No data available

(COD)

Bioaccumulative potential : No data available Ecology - soil : No data available

Other information : It should not be allowed for the product to be run into drains,

water courses or the soil.

13. Disposal considerations

Waste treatment methods : In accordance with local and national regulations. Do not dispose

of waste into sewer. This material and its container must be disposed of as hazardous waste. Do not dispose of together with

household waste.

Ecology - waste materials : Farm out to professional disposal treating traders in compliance

with requirements of the nation and local governments.

Contaminated container and

packaging

: Farm out disposal of the contents and packaging materials to

professional disposal treating traders in compliance with

requirements of the nation and local governments

In case of disposal of empty container, dispose after complete

removal in the container.

14. Transport information

International Regulations

UN-No. : Not applicable

Class (UN) : Not applicable

Regulations in Japan

UN-No. : Not applicable

Class (UN) : Not applicable

Other information : At transportation, make sure of no leakage of packings,

load the products without broken bags, falling, injury,

etc., and prevent load

collapses surely.

15. Regulatory information

Regulatory reference

| Country name | Inventory List | Listed/No t listed | Country name | Inventory List | Listed/Not listed |
|--------------|----------------|-----------------------|----------------------------------|----------------|-----------------------------------------------------------------|
| USA | TSCA | Listed | Korea | KECI | Listed |
| EU | EINECS | Listed | EU | REACH | We have joined REACH supply chain of Raw Materials. |
| Canada | DSL | Listed | People's Republic of China | IECSC | Listed |
| Australia | AICS | Listed | Philippines | PICCS | Listed |
| New Zealand | NZIoC | Listed | Taiwan | ECN | Listed |

The Nissin Chemical Company is not able to check up the regulatory information in regard to the substances in your country or region, therefore, we request this matter would be filled by your responsibility.

16. Other information

Data sources : Ref. 1. "Safety Data Sheet" by Raw Material Manufacturers. 2.GHS

Fourth Revised Edition. 3.NITE GHS Results of the Classification

Other information : The Products was developed for general industries' use. When

applying to specific uses, it is hoped to confirm its safety by yourselves prior to the use. The description of this SDS is based upon materials, information and data which can be procured at present. However, we do not warrant any guarantee regarding the contents, physical and chemical properties, hazards and the like